

GAUGES




GAUGES

Hourmeter

Description

- 0-9999 hours
- Flat lens
- Drilling diameter 53MM
- Required parts:
Wiring Harness A: 32540-ZV5-911
Wiring Harness B: 32550-ZW5-U00

Application	Part Number	Comments
BF25D ~ BF250D	06397-ZW5-U10	Black face, analogue display, req. part: 32550-ZW5-U00
	06397-ZW5-U00	White face, analogue display, req. part: 32550-ZW5-U00
BF20A ~ BF250D (Not with BF25 ~ BF50A4)	39700-ZV5-800AH	Black face, digital display, req. part: 32550-ZV5-910



Speedometer

Description

- Flat lens
- Drilling diameter 53MM
- Required parts:
Wiring Harness A: 32540-ZV5-911
Wiring Harness B: 32550-ZW5-U00
Wiring Harness 32550-ZV5-910

Application	Part Number	Comments
BF25D ~ BF250D	06373-ZW5-U11	Black face, 10-50 mph/20-80 km/h, req. part 32550-ZW5-U00
	06373-ZW5-U01	White face 10-50 mph/20-80 km/h, req. part 32550-ZW5-U00



Tachometer

Description

- 0-7000 rpm
- Drilling diameter 86MM
- Required parts:
Wire harness: 32540-ZV5-911

Application	Part Number	Comments
BF25D ~ BF250D	06375-ZW5-U11	Black face, drilling diameter 81MM
	06375-ZW5-U01	White face, drilling diameter 81MM
BF40A / BF50A, BF40D / BF50D	37250-ZV5-823	Black face, drilling diameter 81MM
BF20 / BF30D BF60 ~ BF250D	37250-ZV7-913	
BF8D ~ BF20D	37250-ZW9-902	
BF20A ~ BF250	37250-ZV5-950AH	Black face, drilling diameter 86MM



Trimmer

Description

- Up & down indicator
- Flat lens
- Drilling diameter 53MM
- Required parts:
Wire harness: 32540-ZV5-911

Application	Part Number	Comments
BF25D ~ BF250D	06372-ZW5-U11	Black face
BF25D ~ BF250D	06372-ZW5-U01	White face
BF40 ~ BF250A	37260-ZV5-822	Black face




GAUGES

Voltmeter

- Description**
- 8-16 volts indicator
 - Flat lens
 - Drilling diameter 53MM
 - Required part:
Wire harness: 32540-ZV5-911, 32550-ZW5-U00

Application	Part Number	Comments
BF25D ~ BF250D	06374-ZW5-U10	Black face
	06374-ZW5-U00	White face



Dual assay meter with Tacho/Hour meter function

- Description**
- A five digit LCD display reads up to 99999 rpm in 20 rpm increments
 - Displays up to 9999.9 hours of engine operation before resetting to zero
 - Maximum 16000 RPM

Application	Part Number
BF2 ~ BF20	08174-ZL8-023HE



Instrument set

- Description**
- Fog Resistant
 - Includes 5* gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
 - Required part:
Wire harness: 32200-ZW7-000AH

Application	Part Number	Comments
BF25 ~ BF250D	06304-ZW5-001ZB	EU Instrument set, white face, black letters



Instrument set

- Description**
- Fog Resistant
 - Includes 5* gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
 - Required part:
Wire harness: 32200-ZW7-000AH

Application	Part Number	Comments
BF25 ~ BF250D	06304-ZW5-001ZA	EU Instrument set, black face, white letters



GAUGES

Instrument set

- Description**
- Fog Resistant
 - Includes 4 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
 - Required parts:
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250D	06300-ZW5-004SK	US Instrument set, Charcoal grey face - no voltmeter
	06320-ZW5-004SK	EU Instrument set, Charcoal grey face - no voltmeter

Speedometer

- Description**
- Fog Resistant
 - 10-65mph / 20-100 km/h*
 - Domed lens
 - Drilling diameter 86MM
 - Required parts:
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250D	37203-ZW5-000ZB	White face, black letters, 0 ~ 65Kts
	37203-ZW5-001ZA	Black face, white letters, 0 ~ 65kts
	37200-ZW5-003SK	Charcoal grey, 0 ~ 50kts

Tacho / hourmeter

- Description**
- Fog Resistant
 - 0-7000 rpm & digital hour meter
 - Domed lens
 - Drilling diameter 86MM
 - Required parts:
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250D	37253-ZW5-001ZB	White face, black letters
	37253-ZW5-001ZA	Black face, white letters
	37250-ZW5-004SK	Charcoal grey

Trimmer

- Description**
- Fog Resistant
 - Up & down indicator
 - Domed lens
 - Drilling diameter 53MM
 - Required parts:
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250D	37263-ZW5-001ZB	White face, black letters
	37263-ZW5-001ZA	Black face, white letters
	37260-ZW5-004SK	Charcoal grey

GAUGES

Voltmeter

- Description**
- Fog Resistant
 - 8-18 volts indicator
 - Domed lens
 - Drilling diameter 53MM
 - Required part:
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250D	37453-ZW5-001ZB	White face, black letters
	37453-ZW5-001ZA	Black face, white letters
	37450-ZW5-004SK	Charcoal grey

Fuel Meter (EU type - 10 ohms ~ 180 ohms)

- Description**
- Fog Resistant
 - For inbuilt fuel tanks
 - Drilling diameter 53MM



Application	Part Number	Comments
BF25 ~ BF250D	37304-ZW5-001ZB	EU, white face, Ohms 10Ω (empty) to 180Ω (full) scale
	37304-ZW5-001ZA	EU, black face, Ohms 10Ω (empty) to 180Ω (full) scale
	37320-ZW5-004SK	EU Charcoal grey face, Ohms 10Ω (empty) to 180Ω (full) scale

Fuel Meter (USA type - 240 ohms ~ 33 ohms)

- Description**
- Fog Resistant
 - For inbuilt fuel tanks
 - Drilling diameter 53MM



Application	Part Number	Comments
BF25 ~ BF250D	37303-ZW5-001ZB	US, white face, Ohms 240Ω (empty) to 33Ω (full) scale
	37303-ZW5-001ZA	US, black face, Ohms 240Ω (empty) to 33Ω (full) scale
	37300-ZW5-004SK	US, charcoal grey face, Ohms 240Ω (empty) to 33Ω (full) scale

Prestige Gauges

- Description**
- Tachometer and Trim function in one 3" dial - no need to mount separate gauges saving space on dash
 - Black and silver styling - compliments latest styling of Honda engine covers
 - Deutsch plug in connections - makes for easy installation/service etc
 - Harness supplied with Prestige Tach/Trim gauge provides an additional connector for easy addition of fuel gauge whenever required



Application	Part Number	Comments
BF25 ~ BF250D	06380-ZX2-U01HE	Black face tachometer trim harness
	06303-ZX2-U01HE	Black face US fuel meter Ohms 240Ω ~ 33Ω
	06304-ZX2-U01HE	Black face EU fuel meter Ohms 10Ω ~ 180Ω

GAUGES

Multi Functional Display

- Description**
- MFDS 7 inch sunlight readable touch screen
 - will be ordered using the MTOC
 - Will display engine information from up to 2 engines

Application	Comments
BF40 ~ BF250D	NMEA compliant models



Trunnion Mounting Bracket

Application	Part Number	Comments
BF40 ~ BF250D	06371-ZY6-070HE	NMEA compliant models



Marine Monitor Unit

- Description**
- BM40 - will be ordered using the MTOC

Application	Comments
BF40 ~ BF250D	NMEA compliant models



Digital Display

- Description**
- Marine 4.3" digital display

Application	Part Number	Comments
BF40 ~ BF250D	06371-ZY6-040	NMEA compliant models

